# RAILWAY HANDBOOK 2012



## ENERGY CONSUMPTION AND CO<sub>2</sub> EMISSIONS



INTERNATIONAL UNION OF RAILWAYS

Railway Handbook 2012 Energy Consumption and CO<sub>2</sub> Emissions

## **INTERNATIONAL ENERGY AGENCY**

The International Energy Agency (IEA), an autonomous agency, was established in November 1974. Its primary mandate was – and is – two-fold: to promote energy security amongst its member countries through collective response to physical disruptions in oil supply, and provide authoritative research and analysis on ways to ensure reliable, affordable and clean energy for its 28 member countries and beyond. The IEA carries out a comprehensive programme of energy co-operation among its member countries, each of which is obliged to hold oil stocks equivalent to 90 days of its net imports. The Agency's aims include the following objectives:

Secure member countries' access to reliable and ample supplies of all forms of energy; in particular, through maintaining effective emergency response capabilities in case of oil supply disruptions.

Promote sustainable energy policies that spur economic growth and environmental protection in a global context – particularly in terms of reducing greenhouse-gas emissions that contribute to climate change.

- Improve transparency of international markets through collection and analysis of energy data.
  - Support global collaboration on energy technology to secure future energy supplies and mitigate their environmental impact, including through improved energy efficiency and development and deployment of low-carbon technologies.
    - Find solutions to global energy challenges through engagement and dialogue with non-member countries, industry, international organisations and other stakeholders.

IEA member countries:

Australia

Austria Belaium Canada Czech Republic Denmark Finland France International **Energy Agency** Hungary Ireland Italy Japan Korea (Republic of) Luxemboura Netherlands New Zealand Norway Poland Portugal Slovak Republic Spain Sweden Switzerland Turkev United Kingdom United States The European Commission also participates in the work of the IEA



# UIC: the international professional association representing the railway sector

UIC, the international railway association which celebrates its 90th anniversary in 2012, counts 200 members across 5 continents (railway companies, infrastructure managers, rail-related transport operators, etc.). UIC's members represent 1 million kilometres of lines, 2,800 billion passenger-km, 9,500 billion tonne-km, and a workforce of 6.7 million people.

#### ACCORDING TO THE STATUTES, UIC 'S MISSION FOCUSES MAINLY ON:

- Promoting rail transport around the world with the aim to meet current and future challenges of mobility and sustainable development.
- Promoting interoperability, creating new world standards for railways, including common standards with other transport modes.
- Developing and facilitating all forms of international cooperation among members, facilitating the sharing of best practices (benchmarking).
- Supporting members in their efforts to develop new business and new areas of activity.
- Proposing new ways to improve technical and environmental performance of rail transport, boosting competitiveness and reducing costs.



WWW.UIC.ORG

© OECD/IEA, 2012 International Energy Agency 9 rue de la Fédération 75739 Paris Cedex 15, France

2

www.iea.org

Please note that this publication is subject to specific restrictions that limit its use and distribution. The terms and conditions are available online at www.iea.org/about/copyright.asp



The International Energy Agency and the International Union of Railways are pleased to introduce the first data handbook on "Energy Consumption and CO<sub>2</sub> Emissions of world railway sector".

Tracking the progress of energy use and  $CO_2$  emissions is at the core of both institutions and synergies have emerged in order to improve data quality and collection for the rail sector. The IEA and UIC now work together in consolidating the data gathered from their respective data requests.

The idea of producing a joint publication between our two agencies did not come about just because of the proximity of our respective headquarters in Paris, but from the intention of supporting the overall framework constructed by the International Energy Agency on energy-related transport trends. This publication complements, the IEA data with official railway data, collected and quality-checked yearly by UIC since 2008.

Energy and  $CO_2$  data provide the key to understanding environmental issues and decarbonising the transport sector. We need robust data as the foundation on which to build the greening of our future transport choices.

We sincerely hope that this will be only the first step of a longer cooperation on the path to sustainable mobility.

082

Bo Diczfalusy

Director of the Sustainable Energy Policy and Technology directorate of the International Energy Agency

Jasnewslu"

5

Jerzy Wisniewski

Director of the Fundamental Values Department of the International Union of Railways



This publication has been made possible thanks to UIC railway members, who have constantly contributed to the UIC Railway Energy and  $CO_2$  Database since 2005 with commitment and patience and to the IEA Statistics Department, who has collected and managed energy balances and  $CO_2$  emissions data from fuel combustion.

A special mention goes to the cooperation of UIC and IEA staff, and in particular to: François Cuenot, Lew Fulton, Henning Schwarz, Alexander Veitch and Veronica Aneris.

A special thanks to the Sustainable Development Foundation for its technical support.

Railway Handbook 2012



Energy Consumption and CO<sub>2</sub> Emissions

	Index of Figures	
	Index of Tables	14
	Introduction	— 15
Part I:	Europe (EU27)	17
		10
	Transport Trends and Modal Split	
	Energy Consumption and $CO_2$ Emissions of Transport Sector —	
	The Railway Sector	29
Part II:	Selection from Non-European Countries	43
	United States	— 45
	Canada	— 50
	Russian Federation	— 56
	Turkey	62
	Japan	68
	Republic of Korea	— 75
	India	— 79
	People's Republic of China	— 83
	Australia	90
	South Africa	— 97
	Islamic Republic of Iran	101
	Methodology Notes	
	Glossary	
	References	111

## Index of Figures

Fig. 1: Passenger and freight transport activity, 2000-2009	19
Fig. 2: Passenger transport activity by mode, 2000-2009	19
Fig. 3: Modal evolution of passenger traffic activity, 2000-2009	20
Fig. 4: Railway passenger activity by service type, 2000-2009	20
Fig. 5: Passenger motorised transport modal split, 2000 inside - 2009 outside	21
Fig. 6: Freight transport activity by mode , 2000-2009	21
Fig. 7: Modal evolution of freight traffic activity, 2000-2009	22
Fig. 8: Freight transport modal split, 2000 inside - 2009 outside	22
Fig. 9: CO <sub>2</sub> Emissions from fuel combustion by sector, 2009	24
Fig. 10: Transport sector energy consumption by mode, 1990-2009	25
Fig. 11: Transport sector CO <sub>2</sub> emissions by mode, 1990-2009	25
Fig. 12: Change in $CO_2$ emissions from fuel combustion by mode, between 1990 and 2009	26
Fig. 13: Transport sector energy consumption by mode, 2009	26
Fig. 14: Transport sector CO <sub>2</sub> emissions by mode, 2009	27
Fig. 15: EU27 evolution of the GHG intensity of motorised passenger transport modes,	
2010-2050	27
Fig. 16: GHG benefits of railway versus other mode, EU average	28
Fig. 17: Railway passenger transport activity, 2000-2009	30
Fig. 18: Railway freight transport activity, 2000-2009	30
Fig. 19: Length of railway line in operation, 1990-2009	31
Fig. 20: Share of electrified versus non-electrified railway lines , 1990-2009	31
Fig. 21: Passenger activity split by traction type, 2005 and 2009	32
Fig. 22: Freight activity split by traction type, 2005 and 2009	32
Fig. 23: Railway energy consumption, by traction and train type, 2009	33
Fig. 24: Specific energy consumption, by train type, 1990-2009	34
Fig. 25: Passenger specific consumption by service type and traction type, 2005	34
Fig. 26: Railways electricity mix by country, 2009	35
Fig. 27: Railways electricity mix, 2005 inside - 2009 outside	35
Fig. 28: Carbon intensity of railway electricity by country, 2005 and 2009	36
Fig. 29: European average carbon intensity of railway electricity, 2005 and 2009	36
Fig. 30: Railway sector $CO_2$ emissions by train type and traction type, 2009	37
Fig. 31: Railway sector CO <sub>2</sub> emissions by train type, 1990-2009	37
Fig. 32: Specific CO <sub>2</sub> emissions by train type, 1990-2009	38
Fig. 33: Passenger specific $CO_2$ emissions by service type and traction type, 2005	39

	Fig. 34: Specific $CO_2$ emissions by train type and traction type, 2009	39
	Fig. 35: Specific CO <sub>2</sub> emissions, progress towards 2020 targets	40
	Fig. 36: Specific energy consumption, progress towards 2030 targets	41
USA	Fig. 37: Passenger and freight transport activity, 1990-2008	45
	Fig. 38: Passenger transport modal split, 2008	45
	Fig. 39: Passenger traffic activity by mode, 1995-2008	46
	Fig. 40: Freight transport modal split, 2008	46
	Fig. 41: Freight traffic activity by mode, 1995-2008	47
	Fig. 42: Transport CO <sub>2</sub> emissions by mode, 1990-2009	47
	Fig. 43: Length of railway line, 1999-2009	48
	Fig. 44: Railway transport activity for passenger and freight, 1990-2009	48
	Fig. 45: Railway energy consumption by fuel, 1990-2009	49
	Fig. 46: Railway specific energy consumption, 1990-2009	49
Canada	Fig. 47: Passenger and freight transport activity, 1995-2009	50
	Fig. 48: Passenger transport modal split, 2009	50
	Fig. 49: Passenger traffic activity by mode, 1995-2009	51
	Fig. 50: Freight transport modal split, 2009	51
	Fig. 51: Freight traffic activity by mode, 1995-2009	52
	Fig. 52: Transport CO <sub>2</sub> emissions by mode, 1990-2009	52
	Fig. 53: Change in $CO_2$ emissions from fuel combustion by mode between 1990 and 2009	53
	Fig. 54: National electricity mix evolution, 2010 outside - 2005 inside	53
	Fig. 55: Length of railway line, 1999-2009	54
	Fig. 56: Railway transport activity for passenger and freight, 1995-2009	54
	Fig. 57: Railway energy consumption by fuel, 1990-2009	55
	Fig. 58: Railway specific energy consumption, 1995-2009	55
Russia	Fig. 59: Passenger and freight transport activity, 1990-2009	56
	Fig. 60: Passenger transport modal split, 2009	56
	Fig. 61: Freight transport modal split, 2009	57
	Fig. 62: Transport CO <sub>2</sub> emissions by mode, 1990-2009	57
	Fig. 63: Change in $CO_2$ emissions from fuel combustion by mode between 1990 and 2009	58
	Fig. 64: National electricity mix evolution, 2009 outside - 2004 inside	58
	Fig. 65: Length of railway line, 1999-2009	59
	Fig. 66: Line electrification share, 1999-2009	59
	Fig. 67: Railway transport activity for passenger and freight, 1995-2009	60
	Fig. 68: Railway energy consumption by fuel, 1993-2009	60
	Fig. 69: Railway specific energy consumption, 1995-2009	61
Turkey	Fig. 70: Passenger and freight transport activity, 2001-2005	62
	Fig. 71: Passenger transport modal split, 2005	62

Fig. 72: Freight transport modal split, 2005	63
Fig. 73: Transport CO <sub>2</sub> emissions by mode, 1990-2009	63
Fig. 74: Change in $CO_2$ emissions from fuel combustion by mode between 1990 and 2009	64
Fig. 75: National electricity mix evolution, 2010 outside - 2005 inside	64
Fig. 76: Length of railway line, 1999-2009	65
Fig. 77: Line electrification share, 1999-2009	65
Fig. 78: Railway transport activity for passenger and freight, 1990-2009	66
Fig. 79: Railway energy consumption by fuel, 1990-2009	66
Fig. 80: Railway specific energy consumption, 1990-2009	67
Fig. 81: Passenger and freight transport activity, 1990-2008	68
Fig. 82: Passenger transport modal split, 2008	68
Fig. 83: Passenger traffic activity by mode, 1995-2008	69
Fig. 84: Freight transport modal split, 2009	69
Fig. 85: Freight traffic activity by mode, 1995-2009	70
Fig. 86: Transport CO <sub>2</sub> emissions by mode, 1990-2009	70
Fig. 87: Change in $CO_2$ emissions from fuel combustion by mode between 1990 and 2009	71
Fig. 88: National electricity mix evolution, 2010 outside - 2005 inside	71
Fig. 89: Length of railway line, 1999-2009	72
Fig. 90: Line electrification share, 1999-2009	72
Fig. 91: Railway transport activity for passenger and freight, 1990-2009	73
Fig. 92: Railway energy consumption by fuel, 1990-2009	73
Fig. 93: Railway specific energy consumption, 1990-2009	74
Fig. 94: Transport $CO_2$ emissions by mode, 1998-2009 (million tonnes)	75
Fig. 95: Change in $CO_2$ emissions from fuel combustion by mode between 1998 and 2009	75
Fig. 96: National electricity mix evolution, 2010 outside - 2005 inside	76
Fig. 97: Length of railway line, 1999-2009	76
Fig. 98: Line electrification share, 1999-2009	77
Fig. 99: Railway transport activity for passenger and freight, 1996-2009	77
Fig. 100: Railway energy consumption by fuel, 1990-2009	78
Fig. 101: Railway specific energy consumption, 1996-2009	78
Fig. 102: Transport CO <sub>2</sub> emissions by mode, 1998-2009	79
Fig. 103: Change in $CO_2$ emissions from fuel combustion by mode between 1998 and 2009	79
Fig. 104: National electricity mix evolution, 2009 outside - 2004 inside	80
Fig. 105: Length of railway line, 1999-2009	80
Fig. 106: Line electrification share, 1999-2009	81
Fig. 107: Railway transport activity for passenger and freight, 1990-2009	81
Fig. 108: Railway energy consumption by fuel, 1990-2009	82
Fig. 109: Railway specific energy consumption, 1990-2009	82

China	Fig. 110: Passenger and freight transport activity, 1990-2009	83
	Fig. 111: Passenger transport modal split, 2009	83
	Fig. 112: Passenger traffic activity by mode, 1995-2009	84
	Fig. 113: Freight transport modal split, 2009	84
	Fig. 114: Freight traffic activity by mode, 1995-2009	85
	Fig. 115: Transport CO <sub>2</sub> emissions by mode, 1990-2009	85
	Fig. 116: Change in CO <sub>2</sub> emissions from fuel combustion by mode between 1990 and 2009	86
	Fig. 117: National electricity mix evolution, 2009 outside - 2004 inside	86
	Fig. 118: Length of railway line, 1999-2009	87
	Fig. 119: Line electrification share, 1999-2009	87
	Fig. 120: Railway transport activity for passenger and freight, 1990-2009	88
	Fig. 121: Railway energy consumption by fuel, 1990-2009	88
	Fig. 122: Railway specific energy consumption, 1990-2009	89
ustralia		
ustralia	Fig. 123: Passenger and freight transport activity, 1990-2008	90
	Fig. 124: Passenger transport modal split, 2009	90
	Fig. 125: Passenger traffic activity by mode, 1995-2009	91
	Fig. 126: Freight transport modal split, 2008	91
	Fig. 127: Freight traffic activity by mode, 1995-2008	92
	Fig. 128: Transport CO <sub>2</sub> emissions by mode, 1990-2009	92
	Fig. 129: Change in $CO_2$ emissions from fuel combustion by mode between 1990 and 2009	93
	Fig. 130: National electricity mix evolution, 2010 outside - 2005 inside	93
	Fig. 131: Length of railway line, 1999-2009	94
	Fig. 132: Line electrification share, 1999-2009	94
	Fig. 133: Railway transport activity for passenger and freight, 1990-2008	95
	Fig. 134: Railway energy consumption by fuel, 1990-2009	95
	Fig. 135: Railway specific energy consumption, 1990-2008	96
outh Africa	Fig. 136: Transport CO <sub>2</sub> emissions by mode, 1990-2009	97
	Fig. 137: Change in $CO_2$ emissions from fuel combustion by mode between 1990 and 2009	97
	Fig. 138: National electricity mix evolution, 2009 outside - 2004 inside	98
	Fig. 139: Length of railway line, 1999-2009	98
	Fig. 140: Line electrification share, 1999-2009	99
	Fig. 141: Railway transport activity for passenger and freight, 1990-2009	99
	Fig. 142: Railway energy consumption by fuel, 1993-2009	100
	Fig. 143: Railway specific energy consumption, 1993-2009	100
Iran	Fig. 144: Transport CO <sub>2</sub> emissions by mode, 2005-2009	101
	Fig. 145: Change in CO <sub>2</sub> emissions from fuel combustion by mode between 2005 and 2009	101
	Fig. 146: National electricity mix evolution, 2010 outside - 2005 inside	102
	Fig. 147: Railway transport activity for passenger and freight, 1990-2009	102

China

Australia

South Africa

12

Korea

Fig. 148: Railway passenger transport activity for electric and diesel traction, 2005-2010	103
Fig. 149: Railway freight transport activity for electric and diesel traction, 2005-2010	103
Fig. 150 Railway passenger transport activity by service type, 2005-2010	104
Fig. 151: Length of railway line, 1999-2009	104
Fig. 152: Line electrification share, 1999-2009	105
Fig. 153: Railway energy consumption by fuel, 2005-2010	105
Fig. 154: Railway specific energy consumption, 2005-2010	106

## Index of tables

Table 1: Transport modal share, 2009	24
Table 2: Railway energy consumption by train type and traction type, 2005-2009	33
Table 3: Specific energy consumption by train type, 1990-2009	34
Table 4: Railway CO2 emissions by train type and traction type, 2005-2009	3

## Introduction IEA Transport statistics and UIC energy database

The transport sector is responsible for nearly 23% of energy-based CO<sub>2</sub> emissions worldwide, mainly due to road traffic. Transport CO<sub>2</sub> total emissions have constantly increased since 1990 and all transport modes – except railways – have increased their GHG emissions from fuel combustion (IEA, 2011a).

15

The International Energy Agency (IEA), established in November 1974, has over the years gained recognition as one of the world's most authoritative sources for energy statistics. Every year the Agency publishes global energy statistics and CO<sub>2</sub> emissions from fuel combustion, which include transport-related data.

The International Union of Railways (UIC) represents more than 200 railway companies and associations over the world. The railway companies operating worldwide produce less than 1% of total CO<sub>2</sub> emissions (IEA, 2011a and UIC, 2011b).

Due to their low-carbon performance, railways are an important means to reach sustainable mobility. Trains, especially in Europe, rely mostly on electricity, and the electricity markets are already subjected to mechanisms to lower the carbon content of electricity through the EU ETS (European Union Emission Trading Scheme). With electro-mobility being a key objective for many European countries, one of the most cost-effective actions should be to promote railway mobility.

In 2005, the UIC started to collect energy and  $CO_2$  data from its members within a dedicated database (UIC, 2011b) which produces figures on:

- Railway activity (passenger-km and tonne-km of freight)
- Energy consumption (total, per pkm, tkm and service type)
- Electricity mix and atmospheric pollution conversion factors
- Use of diesel and biofuel
- CO<sub>2</sub> emission trends from 1990

In this book you will find the result of the harmonization of the UIC energy/ CO<sub>2</sub> railway database with the IEA world energy balances (IEA, 2011a) and CO<sub>2</sub> from fuel combustion (IEA, 2011b) databases.

**EU27** 

The publication is composed of a European part, followed by a selection from Non-European countries where partial data were available. The data quality and availability is not homogenously represented for all regions: the EU UIC members have set an accurate framework to collect energy use and  $CO_2$  data from railway operators. The UIC and the IEA are calling for a harmonized and global approach to reach such a standard worldwide. This publication is aiming to be updated regularly. Hopefully, the next edition of the data handbook will embrace a wider set of countries representing more accurately the energy and  $CO_2$  performance of the global railway sector.




## Transport Trends and Modal Split

## Key facts

- Total transport demand in Europe has grown by 7% from 2000 to 2009.
- The financial and economic crisis has substantially decreased transport demand between 2008 and 2009, in particular for the freight sector (-12% from 2008 to 2009).
- In 10 years (2000-2009), no significant change in modal split for the passenger sector has been recorded. For the freight sector there have been small changes towards road freight.
- Railways modal share in 2009 was 6% for passenger and 7% for freight transport activities.




## Fig.1: Passenger and freight transport activity, 2000-2009 (billion transport units)



Source: Elaboration based on EC (2011) and UIC (2011a)


## 7 0 0 0 SEA AIR 6 0 0 0 TRAM AND METRO 5 0 0 0 RAILWAY BUS AND COACH 4 0 0 0 P2W 3 0 0 0 PASSENGER CARS 2 0 0 0 1 000 0 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 Source: EC (2011) and UIC (2011a)


#### Fig.2: Passenger transport activity by mode, 2000-2009 (billion pkm)




Year 2000=100 Source: EC (2011) and UIC (2011a)

Fig.4: Railway passenger activity by service type, 2000-2009 (billion pkm)








Source: EC (2011) and UIC (2011a)

## Fig.6: Freight transport activity by mode, 2000-2009 (billion tkm)




Source: EC (2011) and UIC (2011a)


21

EU27

## Fig.7: Modal evolution of freight traffic activity, 2000-2009 (tkm)



## Fig.8: Freight transport modal split, 2000 inside - 2009 outside (% tkm)



## Energy Consumption and CO<sub>2</sub> Emissions of Transport Sector


## Key facts

- In 2009, road was responsible for 71% of total CO<sub>2</sub> emission from transport sector. Navigation was responsible for 14.3% and aviation for 12.3%. Railways produced 1.8% of total CO<sub>2</sub> emission from transport sector, corresponding to 0.6% of total CO<sub>2</sub> emission in EU27.
- The transport sector in 2009 was responsible for about 31% of total CO<sub>2</sub> emission from fuel combustion in Europe.
- Transport CO<sub>2</sub> total emissions grew by nearly 28% from 1990 to 2009 and by 5% from 2000 to 2009: all transport modes - except railways - have increased their total emissions.

EU27

24

#### Fig.9: CO<sub>2</sub> Emissions from fuel combustion by sector, 2009





Note: Emissions from rail electric traction are included into the transport sector, see Methodology Notes, p. 107.

## Table 1: Transport modal share, 2009 (transport units)

ROAD	10	71.4%
NAVIGATION		15.0%
RAIL		7.1%
AVIATION		5.2%
OTHER		1.2%


Source: IEA (2011a) and UIC (2011b)





#### Source: IEA (2011b)


## Fig.11: Transport sector CO<sub>2</sub> emissions by mode, 1990-2009 (million tCO<sub>2</sub>)



EU27





Fig.12: Change in CO<sub>2</sub> emissions from fuel combustion by mode between 1990 and 2009




Source: elaboration based on IEA (2011a)

Fig.13: Transport sector energy consumption by mode, 2009








Source: IEA (2011a) and UIC (2011b) Note: See Methodology notes p.107

## Fig.15: EU27 evolution of the GHG intensity of motorised passenger transport modes, 2010-2050 (WTW gCO<sub>2</sub>/pkm)




# CROSS INDICATORS: plane vs highspeed, car vs regional, freight train vs HDVs

For certain trip purposes, some modes are in competition with respect to travel comfort, speed and cost. The traveler or the freight operator can then choose which mode suits better their needs. Taking greenhouse gases into account is important, and interactive tools such as EcoPassenger and EcoTransit (www.ecopassenger.org and www.ecotransit.org) are offering a platform to compare each mode's emissions.

On average, when taking the Well to Wheel (WTW) emissions from the energy needed to propel the vehicle, rail appears to be the most efficient. Below a few key comparisons are shown using today's average Greenhouse Gas (GHG) emissions from WTW.

Vehicle and infrastructure manufacture and operation and maintenance carbon emissions would ideally also have to be taken into account in order to fully be able to compare modes among each other. Baron (2011) showed that including infrastructure embedded carbon into the HSR carbon intensity would add an extra 5 gCO<sub>2</sub>/pkm, not drastically changing the picture shown below.

#### Fig.16: GHG benefits of railway versus other mode, EU average



## The Railway Sector


## **Key facts**

- The total length of railway lines in Europe has remained stable since 1990 (around 210 000 km).
- In 1990, only 30% of railway lines were electrified. In 2009, this percentage reached 53%. Around 80% of rail traffic is performed nowadays with electrified trains.
- Railways have improved their energy efficiency from 1990 to 2009: 13% less energy is needed now to move a passenger km and 19% less energy to move a tonne km.
- Electricity used by railways in Europe is produced with an average of 30% from renewable sources. This percentage has highly increased in the last 4 years.
- High-speed and intercity trains as expected consume more energy per train km, but due to the higher load factor they consume less energy per passenger km.
- European railways have committed to reduce in 2020 their specific emissions by 30%, calculated from 1990.
- From 1990 to 2009 European railways have reduced total CO<sub>2</sub> emissions by 32%, passenger specific emissions (per passenger km) by 20% and freight specific emissions (per tonne km) by 38%. Freight sector has already reached its 2020 target for specific emissions.


EU27


## Total activity passenger and freight


Fig.17: Railway passenger transport activity, 2000-2009 (pkm and train-km)



#### Fig.18: Railway freight transport activity, 2000-2009 (tkm and train-km)








## **Electric and diesel**


Fig.20: Share of electrified versus non-electrified railway lines, 1990-2009 (% of track-km)



Source: elaboration based on UIC (2011a)

**EU**27

## Fig.21: Passenger activity split by traction type, 2005 and 2009 (train-km)




Source: elaboration based on UIC (2011b)

EU27

32


Fig.22: Freight activity split by traction type, 2005 and 2009 (train-km)



Source: elaboration based on UIC (2011b)

## **Energy consumption**

Fig.23: Railway energy consumption, by traction and train type, 2009



## Table 2: Railway energy consumption by train type and traction type, 2005-2009 (PJ)

		2005	2006	2007	2008	2009
PA	SSENGER					
	ELECTRIC TRACTION	119.80	125.42	126.62	121.96	127.89
	DIESEL TRACTION	49.87	42.88	41.91	41.06	40.81
- 14	TOTAL PASSENGER	169.66	168.30	168.53	163.02	168.70
		_		_	_	_
	ELECTRIC TRACTION	45.85	47.11	44.40	42.93	33.09
	DIESEL TRACTION	26.78	26.01	22.61	30.61	22.80
- 14	TOTAL FREIGHT	72.63	73.12	67.01	73.55	55.89
FF	EIGHT					
	TOTAL	242.29	241.42	235.54	236.57	224.60


Source: elaboration based on UIC (2011b)

#### Fig.24: Specific energy consumption by train type, 1990-2009 (kJ/pkm, kJ/tkm) 500 450 kJ/pkm 400 350 kJ/tkm 300 250 the second second second 200 150 1990 2005 2006 2007 2008 2009 PASSENGER FREIGHT Source: UIC (2011b)

Table 3: Specific energy consumption by train type, 1990-2009 (kJ/pkm, kJ/tkm)

Source: UIC (2011b)	1990	2005	2006	2007	2008	2009	$\Delta^{1990}_{2009}$
PASSENGER (KJ/PKM)	478.8	437.8	425.6	418.7	411.0	418.7	-13%
FREIGHT (KJ/TKM)	234.0	214.8	205.3	195.4	192.1	190.5	-19%

## Fig.25: Passenger specific consumption by service type and traction type, 2005 (kJ/pkm)



## **Electricity mix**

Fig.26: Railways electricity mix by country, 2009





Fig.27: Railways electricity mix, 2005 inside - 2009 outside





Source: elaboration based on UIC (2011b)

34


EU27

## CO<sub>2</sub> emission factors





## Fig.29: European average carbon intensity of railway electricity, 2005 and 2009 (gCO<sub>2</sub>/kWh)



Source: elaboration based on UIC (2011b)

## CO<sub>2</sub> emissions






Fig.30: Railway sector CO<sub>2</sub> emissions by train type and traction type,

## Fig.31: Railway sector CO<sub>2</sub> emissions by train type, 1990-2009 (million tonnes)




#### Fig.33: Passenger specific CO<sub>2</sub> emissions by service type and traction type, 2005 (gCO<sub>2</sub>/pkm)



Source: elaboration based on UIC (2011b)

## Fig.34: Specific CO<sub>2</sub> emissions by train type and traction type, 2009 (gCO<sub>2</sub>/pkm, gCO<sub>2</sub>/tkm)






PA	SSENGER					
	ELECTRIC TRACTION	13 395	12 897	13 111	13 264	12 949
	DIESEL TRACTION	4 597	4 528	4 424	4 361	3 042
-1	TOTAL PASSENGER	17 992	17 425	17 535	17 624	15 991
		_	_		_	
	ELECTRIC TRACTION	7 012	6 289	6 265	5 632	3 889
	DIESEL TRACTION	2 518	2 384	2 170	2 492	1 720
4	TOTAL FREIGHT	9 530	8 672	8 4 3 4	8 124	5 609
FR	EIGHT					
	TOTAL	27 522	26 097	25 969	25 749	21 600

Source: elaboration based on UIC (2011b)

Fig.32: Specific CO<sub>2</sub> emissions by train type, 1990-2009 (gCO<sub>2</sub>/pkm, gCO<sub>2</sub>/tkm)



EU27

## Commitment of European railway sector


In 2008 the members of the Community of European Railways and European Infrastructure Managers (CER and EIM) set a  $\mbox{CO}_2$ 


emission reduction target, as part of their commitment to ensure that the rail sector maintains its strong environmental performance.

The commitment entails a reduction of the levels of emissions per passenger km and per tonne km by 30% from 1990 to 2020.

The progress towards the target is monitored and reported yearly by UIC, based on data from the UIC "Energy and  $CO_2$  Database". The database has collected energy and  $CO_2$  emissions values from UIC members on a yearly basis since 2005 and is part of UIC Official Statistics.

According to the last monitoring report the sector is clearly on target to meet the 30% reduction both in freight and in the passenger sector. In particular,  $CO_2$  emissions per passenger km have been reduced by 20% in 2009 from 1990 levels and  $CO_2$  emissions per tonne km have been reduced by 38%, surpassing already the 2020 target.





## European railways' strategy towards 2030

In order to keep the railway sector at the forefront as the most environment friendly mass transport mode, UIC and CER have already agreed on a new target for 2030.


This time the commitment concerns not only  $\text{CO}_2$  emissions but also energy efficiency levels.

In particular the commitment involves the following goals:

- Reduce specific final energy consumption from train operation by 30% with respect to 1990 levels (pkm and gross tkm);
- Reduce specific average CO<sub>2</sub> emissions from train operation by 50% with respect to 1990 levels (pkm and gross tkm);
- By 2030, not exceed the total CO<sub>2</sub> emission level from train operation in absolute terms even with projected traffic growth compared to base year 1990.

The feasibility of 2030 targets has been studied and documented by UIC in the technical report "Moving towards Sustainable Mobility: European Rail Sector Strategy 2030 and beyond". The targets have been approved in December 2010 by UIC and CER. Since 2011, the progress towards 2030 targets is monitored and reported yearly by UIC (technical document "Monitoring report to 2020-2030 UIC/CER strategy targets").

#### Fig.36: Specific energy consumption, progress towards 2030 targets



# EU27

42


## UIC's Vision 2050

In order for the railway sector to maintain its leading sustainability performance a Vision 2050 has also been set.

The goals are the following:


- The European railways will strive towards **carbon-free train operation** by 2050 and provide society with a climate neutral transport alternative.
- The European railways will strive towards **halving their specific final energy consumption** from train operation by 2050 compared to the base year 1990; measured per passenger-km (passenger service) and gross tonne-km (freight service).







Source: OECD (2012), UIC (2011a) and BTS (2011)











USA


46





Source: OECD (2012), UIC (2011a) and BTS (2011)


## Fig. 42: Transport $CO_2$ emissions by mode, 1990-2009 (million tonnes)



Source: IEA (2011a)


## Fig. 43: Length of railway line, 1999-2009 (thousand km)


Source: UIC (2011a)




Source: UIC (2011a)











USA


## Canada





Source: OECD (2012), UIC (2011a) and NATS (2011)

## Fig. 48: Passenger transport modal split, 2009 (% pkm)








Fig. 49: Passenger traffic activity by mode, 1995-2009 (pkm)

Value 1995=100 Source: OECD (2012), UIC (2011a) and NATS (2011)

## Fig. 50: Freight transport modal split, 2009 (% tkm)




51



Source: OECD (2012), UIC (2011a) and NATS (2011)

NAVIGATION AVIATION ROAD RAII 2005 2006 1991 2008 2009 Source: IEA (2011a)

Fig. 52: Transport CO<sub>2</sub> emissions by mode, 1990-2009 (million tonnes)








Fig. 54: National electricity mix evolution, 2010 outside - 2005 inside




Source: IEA (2011b)

## Fig. 55: Length of railway line, 1999-2009 (thousand km)




Source: UIC (2011a)


#### Fig. 56: Railway transport activity for passenger and freight, 1995-2009 (billion transport units)



#### Fig. 57: Railway energy consumption by fuel, 1990-2009 (PJ)





## Fig. 58: Railway specific energy consumption, 1995-2009 (kJ/transport unit)



Canada


## **Russian Federation**






Source: OECD (2012), UIC (2011a) and Rosstat (2010)

Fig. 60: Passenger transport modal split, 2009 (% pkm)




Source: OECD (2012), UIC (2011a) and Rosstat (2010) Note: ROSSTAT provides only passenger activity by public transport, so private passenger cars are not taken into account

#### Fig. 61: Freight transport modal split, 2009 (% tkm)



Source: OECD (2012), UIC (2011a) and Rosstat (2010)


## Fig. 62: Transport CO<sub>2</sub> emissions by mode, 1990-2009 (million tonnes)




	betweer	11330	200				
0%						1000	
10%		-					
:0%		-		-		-	-
0%		-					
0%							
				-			
0%							
0%							
0% — 0% —							
0% 60% 70% 60%							

Fig. 63: Change in CO<sub>2</sub> emissions from fuel combustion by mode

Fig. 64: National electricity mix evolution, 2009 outside - 2004 inside




## Fig. 65: Length of railway line, 1999-2009 (thousand km)




Source: UIC (2011a)

## Fig. 66: Line electrification share,1999-2009 (% over total length of line)





Source: UIC (2011a)



Source: UIC (2011a)

## Fig. 68: Railway energy consumption by fuel, 1993-2009 (PJ)









Source: IEA (2011b) and UIC (2011a)


## Turkey






Source: OECD (2012), UIC (2011a) and Turkstat (2010)


Fig. 71: Passenger transport modal split, 2005 (% pkm)








## Fig. 73: Transport CO<sub>2</sub> emissions by mode, 1990-2009 (million tonnes)




Source: IEA (2011a)

Fig. 76: Length of railway line, 1999-2009 (thousand km)




Source: UIC (2011a)

## Fig. 77: Line electrification share, 1999-2009 (% over total length of line)



Source: UIC (2011a)




AVIATION

Fig. 75: National electricity mix evolution, 2010 outside - 2005 inside

NAVIGATION

RAIL



Source: IEA (2011b)

64


-100%

ROAD

Source: IEA (2011a)

Turkey


Fig. 78: Railway transport activity for passenger and freight, 1990-2009 (billion transport units) PASSENGER




FREIGHT

Source: UIC (2011a)


#### Fig. 79: Railway energy consumption by fuel, 1990-2009 (PJ)






 Source: IEA (2011b) and UIC (2011a)


## Japan





Source: OECD (2012), UIC (2011a), JSB (2011) and JMLIT (2011)

Fig. 82: Passenger transport modal split, 2008 (% pkm)







Fig. 83: Passenger traffic activity by mode, 1995-2008 (pkm)

Value 1995=100


Source: OECD (2012), UIC (2011a), JSB (2011) and JMLIT (2011)

## Fig. 84: Freight transport modal split, 2009 (% tkm)




Source: OECD (2012), UIC (2011a), JSB (2011) and JMLIT (2011)






#### Value 1995=100

Source: OECD (2012), UIC (2011a), JSB (2011) and JMLIT (2011)





## Fig. 86: Transport CO<sub>2</sub> emissions by mode, 1990-2009 (million tonnes)

# Fig. 87: Change in CO<sub>2</sub> emissions from fuel combustion by mode between 1990 and 2009




## Fig. 88: National electricity mix evolution, 2010 outside - 2005 inside






Source: UIC (2011a)


#### Fig. 90: Line electrification share, 1999-2009 (% over total length of line)






### Source: UIC (2011a)

### Fig. 92: Railway energy consumption by fuel, 1990-2009 (PJ)




Source: IEA (2011b)





Source: IEA (2011b) and UIC (2011a)

### Fig. 94: Transport CO<sub>2</sub> emissions by mode, 1998-2009 (million tonnes)




Source: IEA (2011a)







#### Fig. 96: National electricity mix evolution, 2010 outside - 2005 inside




Source: IEA (2011b)


#### Fig. 97: Length of railway line, 1999-2009 (thousand km)






Source: UIC (2011a)







Source: UIC (2011a)

Korea








#### Fig. 102: Transport CO<sub>2</sub> emissions by mode, 1998-2009 (million tonnes)



Source: IEA (2011a)



# Fig. 103: Change in CO<sub>2</sub> emissions from fuel combustion by mode between 1998 and 2009

## Fig. 104: National electricity mix evolution, 2009 outside - 2004 inside





Fig. 105: Length of railway line, 1999-2009 (thousand km)







Fig. 106: Line electrification share, 1999-2009 (% over total length of line)

Source: UIC (2011a)



80

						ELE	CTRI	CITY		OIL	PRO	DUCT	S	0	OAL	AND C	OAL	PROD
-							-	-					-					
	1	-	-	-	-	-	-	+	-	-	+	-	-	-	+	-	-	-
		÷.														1	1	
-	-	-	-	÷	+	÷	+	÷	+	+	+	+	+	+	÷	÷	÷	÷
			÷													1	É.	
	-			-	-	-	-	+	-	-	÷							
						÷	÷.											
	- 10							Т		T								
	- 12																	
	100				-	-	_											
			-	-	-	-	-	-	-	-	÷	-	-	-		-	-	-
								00	<b>O</b>	0	-	N	3	4	10	60	~	00
1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008


Source: IEA (2011b)

Fig. 109: Railway specific energy consumption, 1990-2009 (kJ/transport unit)




Source: IEA (2011b) and UIC (2011a)


# Fig. 110: Passenger and freight transport activity, 1990-2009 (billion pkm and tkm)



Source: UIC (2011a) and CNBS (2011)


## Fig. 111: Passenger transport modal split, 2009 (% pkm)





#### Value 1995=100 Source: UIC (2011a) and CNBS (2011)

### Fig. 113: Freight transport modal split, 2009 (% tkm)







Fig. 114: Freight traffic activity by mode, 1995-2009 (tkm)

Value 1995=100

Source: UIC (2011a) and CNBS (2011)

## Fig. 115: Transport $CO_2$ emissions by mode, 1990-2009 (million tonnes)



Source: IEA (2011a)

C






Fig. 117: National electricity mix evolution, 2009 outside -2004 inside




Source: IEA (2011b)






Source: UIC (2011a)


Fig. 119: Line electrification share, 1999-2009 (% over total length of line)





Source: UIC (2011a)



Source: UIC (2011a)









Source: Elaboration from IEA (2011b) and UIC (2011a)


## Australia






Source: OECD (2012) and BITRE (2011)


Fig. 124: Passenger transport modal split, 2009 (% pkm)






Value 1995=100 Source: OECD (2012) and BITRE (2011)

Fig. 126: Freight transport modal split, 2008 (% tkm)




Source: OECD (2012) and BITRE (2011)

Australia



Value 1995=100 Source: OECD (2012) and BITRE (2011)








Fig. 129: Change in CO<sub>2</sub> emissions from fuel combustion by mode between 1990 and 2009



### Fig. 130: National electricity mix evolution, 2010 outside - 2005 inside




Source: IEA (2011b)




## Fig. 131: Length of railway line, 1999-2009 (thousand km)

Source: UIC (2011a)


Fig. 132: Line electrification share, 1999-2009 (% over total length of line)





Source: UIC (2011a)

Fig. 134: Railway energy consumption by fuel, 1990-2009 (PJ)




) —	_				-	-	-						-		-	-		_
• 🕇	X																	
0	-	*	+	*		÷	÷	t				÷	+	+	-	-	-	
o 🗕	-	-	+	+	-	1	*	+	*	1	1	-	-	+		-	+	
												*	÷	+	1	*	+	/
0																		
0	T	t	T															
o		ļ	ļ		ł	-	+	+	ł	+	ł	ł		ł	+	ł	+	
						ł	ł				ł		ł			ł		
0																		

Source: IEA (2011b) and UIC (2011a)


## South Africa

## Fig. 136: Transport $CO_2$ emissions by mode, 1990-2009 (million tonnes)



Source: IEA (2011a)

# Fig. 137: Change in CO<sub>2</sub> emissions from fuel combustion by mode between 1990 and 2009



98







Fig. 139: Length of railway line, 1999-2009 (thousand km)





Source: Elaboration from UIC (2011a)




Source: Elaboration from UIC (2011a)













Source: Elaboration from IEA (2011b) and UIC (2011a)


## **Islamic Republic of Iran**

## Fig. 144: Transport CO $_2$ emissions by mode, 2005-2009 (million tonnes)




Source: Elaboration from IEA (2011a), UIC (2011a) and RAI (2012)





Source: Elaboration from IEA (2011a), UIC (2011a) and RAI (2012)








Fig. 147: Railway transport activity for passenger and freight, 1990-2009 (billion transport units)




Source: UIC (2011a)





# Fig. 149: Railway freight transport activity for electric and diesel traction, 2005-2010 (billion transport units)




Source: RAI (2012)


## Fig. 150: Railway passenger transport activity by service type, 2005-2010 (billion transport units) INTERCITY

REGIONAL

Source: RAI (2012)


#### Fig. 151: Length of railway line, 1999-2009 (thousand km)





Source: UIC (2011a)

Fig. 153: Railway energy consumption by fuel, 2005-2010 (PJ)



Source: Elaboration from RAI (2012)

Source: UIC (2011a)

50						-
00	-		-			-
50	-	-	_	_		_
00				-		-
50	-		_			
00	_	-	_	-	_	_
50	_	-	-	-	-	-
0	_	-	_	-	-	
	2005	2006	2007	2008	2009	0100

Fig. 154: Railway specific energy consumption, 2005-2010

Source: Elaboration from RAI (2012)

## Methodology Notes

The data used in this publication has mainly been extracted from three sources: the International Energy Agency (IEA), the International Union of Railways (UIC) and the European Commission (see References). UIC data do not include urban rail metro and train services.

It has to be noted that European Commission activity data for air and sea transport in EU27 (for both passenger and freight) only includes domestic and intra-EU27 transport, while IEA data for  $CO_2$  emissions also includes the EU share of international transport.

Another important consideration to be taken into account when reading this data handbook is that the IEA  $CO_2$  from fuel combustion database does not attribute any  $CO_2$  emissions from the use of electricity in the transport sector. The  $CO_2$  emissions from electricity generation are attributed to the power sector. The power sector, even though not being a final user of energy, is subjected to its own objective in terms of  $CO_2$  emission reduction, such as the EU ETS in the EU.

Railway  $CO_2$  emissions in Fig.9 and Fig. 14are an exception to the previous rule, as those figures take into account emissions for the whole railway sector, including electric traction. Accordingly, in Fig.9 the emissions for electric traction have not been counted in the power sector. Trends for passenger transportation until 2050 (Fig.15) have been generated with the IEA Mobility Model (MoMo).



## IEA Mobility Model (MoMo)

Over the past 10 years the IEA has developed the Mobility Model, a global transport spreadsheet model that allows projections and policy analysis to 2050, with considerable regional and technology detail. It includes all transport modes and most vehicle and technology types. MoMo is linked to the ETP optimisation model that is used to produce the ETP publication series (IEA, 2012).

MoMo covers 29 countries and regions. It contains assumptions on technology availability and cost at different points in the future, how costs could drop if technologies are deployed at a commercial scale, and other features. It therefore allows fairly detailed bottom-up "what-if" modelling. Energy use is estimated using a bottom-up approach. MoMo is used to produce projections of vehicle sales, stocks and travel, energy use, GHG emissions (on a vehicle and well-to-wheel basis). It allows a comparison of marginal costs of technologies and aggregates to total cost across all modes and regions for a given scenario.

More information on MoMo is provided in IEA (2009).



#### **Electrified track**

Track provided with an overhead catenary or a conductor rail to permit electric traction.

#### Electrified line

Line with one or more electrified running tracks.

#### Energy consumption by rail transport

Final energy consumed by tractive vehicles for traction, train services and facilities (heating, air conditioning,lighting etc.).

#### Gross tonne-kilometre hauled

Unit of measurement representing the movement over a distance of one kilometre of one tonne of hauled vehicles (and railcars) and contents.

#### HDV

Heavy Duty Vehicle (gross vehicle weight >3.5 tonnes)

#### Passenger-kilometre (pkm)

Unit of measurement representing the transport of one passenger over a distance of one kilometre.

### P2W

Powered 2 wheelers

### PLDV

Passenger light duty vehicle

#### Tonne-kilometre (tkm)

Unit of measurement of goods transport which represents the transport of one tonne of goods over a distance of one kilometre.



Tonne of oil equivalent (toe) Unit of measurement of energy consumption: 1 toe = 41.868GJ

Train-kilometre Unit of measurement representing the movement of a train over one kilometre.

Transport Unit (tu) The sum of passenger kilometre and tonne-kilometre

TTW: Tank to wheel

WTT: Well to tank

WTW: Well to Wheel



## References

BITRE 2011. Australian Infrastructure Statistics Yearbook 2011. Australian Department of Infrastructure and Transport, Bureau of Infrastructure, Transport and Regional Economics, Canberra.

BTS 2011. National Transportation Statistics. U.S. Bureau of Transportation Statistics. Internet: http://www.bts.gov/publications/national\_transportation \_statistics/. Accessed 20 July 2011.

CNBS 2011, China Statistical Yearbook 2011. China Statistics Press, National Bureau of Statistics of China, Beijing.

EC 2011, EU transport in figures - Statistical pocketbook 2011. Publications Office of the European Union, Luxembourg. Internet: http://ec.europa.eu/transport/publications/statistics/doc/2011/ pocketbook2011.pdf. Accessed 27 February 2012.

EEA 2011, Laying the foundations for greener transport - TERM 2011: transport indicators tracking progress towards environmental targets in Europe. European Environment Agency, Copenhagen.

Eurostat 2010, Illustrated Glossary for Transport Statistics – 4<sup>th</sup> Edition. Publications Office of the European Union, Luxembourg.

IEA 2009, Transport, Energy and CO2: Moving Toward Sustainability. IEA/ OECD. Paris.

IEA 2011a, CO<sub>2</sub> Emissions from Fuel Combustion. On-line data service. Internet: http://data.iea.org/. Accessed 06 November 2011.

IEA 2011b, World Energy Balances. On-line data service. Internet: http:// data.iea.org/. Accessed 06 November 2011.

IEA 2012, Energy Technology Perspectives 2012. IEA/OECD, Paris.

JMLIT 2011, Summary of Transportation Statistics. Japan Ministry of Land, Infrastructure and Tourism. Internet: http://www.mlit.go.jp/k-toukei/ transportation\_statistics.html. Accessed 21 July 2011.

JSB 2011, Japan Statistical Yearbook 2011. Japan Statistics Bureau, Tokyo.



NATS 2011, *North American Transport Statistics Database*. On-line data service. Internet: http://nats.sct.gob.mx/nats/sys/index.jsp?i=3. Accessed 20 July 2011.

OECD 2012, OECD. Stat Extracts. On-line data service. Internet: http:// stats.oecd.org/. Accessed 11 March 2012.

RAI 2012, Railway activity and energy consumption data. Personal communication with RAI Iranian Railways.

Rosstat 2010, *Russia in figures - 2010*. Russian Federal Statistics Service. Internet: http://www.gks.ru/bgd/regl/b10\_12/Main.htm. Accessed 20 July 2011.

Turkstat 2010. *Summary Statistics on Transportation 2010*. Turkish Statistical Institute, Ankara.

UIC 2011a, *International Railway Statistics 2011*, Statistics Centre of the International Union of Railways, Paris.

UIC 2011b, *UIC Energy and CO<sub>2</sub> Database 2011*. International Union of Railways, Paris.

UIC 2011c, *UIC Technical Report: CO<sub>2</sub> reduction commitment of European railway sector: 1990-2009 data overview*. International Union of Railways, Paris.

UIC 2011d, UIC Technical Report: Energy consumption and CO<sub>2</sub> emissions, 1990-2009 European data overview - Monitoring report to 2020-2030 UIC/ CER strategy targets. International Union of Railways, Paris. This report is the result of a collaborative effort between the International Energy Agency (IEA) and the International Union of Railways (UIC). Users of this report shall take their own independent business decisions at their own risk and, in particular, without undue reliance on this report. Nothing in this report shall constitute professional advice, and no representation or warranty, express or implied, is made in respect to the completeness or accuracy of the contents of this report. Neither the IEA nor the UIC accepts any liability whatsoever for any direct or indirect damages resulting from any use of this report or its contents. A wide range of experts reviewed drafts. However, the views expressed do not necessarily represent the views or policy of either the UIC, or its member companies, or of the IEA, or its individual Member countries.

> Copyright © 2012 the OECD/International Energy Agency and the International Union of Railways



Infographic design: Laboratorio Linfa www.laboratoriolinfa.com



International 9, rue de la Fédération Energy Agency 75739 Paris Cedex 15 FRANCE www.iea.org

INTERNATIONAL UNION OF RAILWAYS 16, rue Jean Rey F-75015 Paris FRANCE www.uic.org